# SEIZURE FIRST AID Tonic Clonic Seizure

Convulsive seizure with loss of consciousness, muscle stiffening, falling, followed by jerking movements.



#### Time the seizure.

**Protect from injury**, quickly remove any hard objects that could cause injury.

**Protect the head** as best you can - place something soft under the head.

**Do not** attempt to restrain the person or to stop the jerking.

Do not put anything in the mouth.




**Gently roll the person onto one side** as soon as it is practical to do so. This will help keep the airway clear.

Stay with the person until the seizure ends naturally.



**Calmly talk** to the person until they regain consciousness. Let them know where they are, that they are safe and that you will stay with them while they recover.



### **Complex Partial Seizure**

Non-convulsive seizure with outward signs of confusion, unresponsiveness or inappropriate behaviour. Can be mistaken for alcohol or drug intoxication.

- During a complex partial seizure you may need to gently guide the person past obstacles and away from dangerous places.
- As the seizure finishes, calmly talk to the person and ask if they are OK.

## **1300 852 853** EPILEPSY AUSTRALIA

This information is made available as a guide only on the understanding that Epilepsy Australia Ltd shall have no liability arising by reason of any person using or relying on the information and whether caused by reason of any error, negligent act omission or misrepresentation in the information or otherwise.

In the event of a seizure follow instructions in the individual's seizure care plan. However if you do not know the person, or there is no seizure care plan:

#### Call an ambulance – 000

- If the seizure lasts more than
  5 minutes or a second seizure quickly follows.
- If the person remains nonresponsive for more than
   5 minutes after the seizure stops.
- If the person is having a greater number of seizures than is usual for them.
- If the person is injured, goes blue in the face or has swallowed water.
- / If the person is pregnant.
- You know, or believe it to be, the person's first seizure.
- You feel uncomfortable dealing with the seizure.

